

UNIVERSAL FIT WIRE SETS



MAKE/ YEAR	ENGINE	SUPERSTOCK 7mm COPPER		SUPERSTOCK 8mm COPPER		SPIRAL	ARMOR SHIELD	CERAMIC BOOTED
			SUPP.		SUPP.		8.8mm SUPP.	
AMC / JEEP								
1998-93	All 8 cyl. 5.2L Magnum engines	•	•	•	•	•	•	9000C
1991-75	All 8 cyl. w/ electronic ignition	•	3010, B	•	4040, B, K, R	5040B, K, R, Y	8008B	9000C
1990-80	All 4 cyl. engines w/ HEI	•	•	•	4015	5040B, K, R, Y	•	9000C
1990-75	All 6 cyl. w/ electronic ignition	•	3010, B	•	4021	5040B, K, R, Y	•	9000C
1974-57	All 6 cyl. w/ points ignition	3008, B	3010, B	4038, B	4021	5040B, K, R, Y	•	9000C
	All 8 cyl. w/ points ignition	3008, B	3010, B	4038, B	4040, B, K, R	5040B, K, R, Y	8008B	9000C
1972-50	All 4 cyl. w/ points ignition	•	•	4014	4015	5040B, K, R, Y	•	9000C
BUICK								
1998-82	All 6 cyl. 3.0L/3.8L w/ front wheel drive	•	•	•	4040, B, K, R	5040B, K, R, Y	8010B	9000C
1993-91	All 8 cyl. Chevrolet engs. (8) 90 boots	•	•	•	•	•	•	9000C
1992-80	All 4 cyl. engs. w/ HEI exc. Quad 4	•	•	•	4015	•	•	9000C
1990-75	All 8 cyl. Oldsmobile engines w/ HEI	•	•	•	4040, B, K, R	5040B, K, R, Y	8010B	9000C
1987-78	All 6 cyl. 3.8L 231 Turbo engines	•	•	•	•	•	•	9000C
1987-75	All 6 cyl. 3.8L/4.1L w/ rear wheel drive	•	•	•	4021	5040B, K, R, Y	•	9000C
1986-80	All 6 cyl. 2.8L engines	•	•	•	4021	5040B, K, R, Y	•	9000C
1981-75	All 8 cyl. Pontiac engines w/ HEI	•	•	•	4040, B, K, R	5040B, K, R, Y	8010B	9000C
1981-74	All 8 cyl. Buick engines w/ HEI	•	•	•	4040, B, K, R	5040B, K, R, Y	8010B	9000C
1980-75	All 8 cyl. Chevrolet engines w/ HEI	•	•	•	4041, B, K, R	5041B, K, R, Y	8011B	9001C
1979-71	All 4 cyl. engines w/ points ignition	•	•	4014	4015	•	•	9000C
1976-75	All 6 cyl. engines w/ HEI	•	•	•	4021	5040B, K, R, Y	•	9000C
1974-63	All 6 cyl. engines w/ points ignition	3008, B	3010, B	4038, B	4021	5040B, K, R, Y	•	9000C
1974-59	All 8 cyl. w/ points ignition	3008, B	3010, B	4038, B	4040, B, K, R	5040B, K, R, Y	8008B	9000C
CADILLAC								
1999-93	All 8 cyl. 4.6L NorthStar	•	•	•	•	•	•	9000C
1995-75	All 8 cyl. Cadillac exc. NorthStar	•	•	•	4040, B, K, R	5040B, K, R, Y	8010B	9000C
1993-90	All 8 cyl. Chevrolet engs. (8) 90 boots	•	•	•	•	•	•	9000C
1990-76	All 8 cyl. Oldsmobile engines	•	•	•	4040, B, K, R	5040B, K, R, Y	8010B	9000C
1986-80	All 6 cyl. 2.8L & 4.1L engines	•	•	•	4021	5040B, K, R, Y	•	9000C
1974-49	All 8 cyl. engines w/ points ignition	3008, B	3010, B	4038, B	4040, B, K, R	5040B, K, R, Y	8008B	9000C
CHEVROLET (INCLUDING TRUCKS & GMC)								
1993-82	All 6 cyl. 2.8L/3.1L w/ rear wheel drive	•	•	•	4021	5040B, K, R, Y	•	9000C
1993-75	All 4 cyl. engs. w/ HEI exc. Quad 4	•	•	•	4015	•	•	•
1991-87	Corvette exc. LT1 and ZR-1 engines	•	•	•	4041, B, K, R	5041B, K, R, Y	8011B	9001C
1990-86	All 8 cyl. Oldsmobile engines	•	•	•	4040, B, K, R	5040B, K, R, Y	8010B	9000C
1989-75	All 6 cyl. 250, 292 engines w/ HEI	•	•	•	4021	5040B, K, R, Y	•	9000C
1989-74	All Big Block engines w/ HEI	•	•	•	4040, B, K, R	5040B, K, R, Y	8010B	9000C
1987-78	All 6 cyl. 3.2L/3.8L (196, 231) Buick	•	•	•	4021	5040B, K, R, Y	•	9000C
1986-80	All 6 cyl. 2.8L w/ front wheel drive	•	•	•	4021	5040B, K, R, Y	•	9000C
1986-78	All 6 cyl. 3.3L/3.8L/4.3L (200, 229, 262) Chevrolet eng. (6) 90 boots	•	•	•	4041, B, K, R	5041B, K, R, Y	8011B	9001C
	All Small Blocks w/ HEI, (8) 90 boots	•	•	•	4041, B, K, R	5041B, K, R, Y	8011B	9001C
1983-78	All 6 cyl. 3.8L 231 Turbo engines	•	•	•	•	•	•	•
1979-62	All 4 cyl. engines w/ points ignition	•	•	4014	4015	•	•	•
1975-65	All Big Block engs. w/ points ignition	3008, B	3010, B	4038, B	4040, B, K, R	5040B, K, R, Y	8008B	9000C
1975-55	All Small Blocks w/ points ignition	3009, B	3011, B	4039, B	4041, B, K, R	5041B, K, R, Y	8009B	9001C
1975-50	All 6 cyl. engines w/ points ignition except Corvair engines	3008, B	3010, B	4038, B	4021	5040B, K, R, Y	•	9000C
1965-58	All 348, 409 engs. w/ points ignition	3008, B	3010, B	4038, B	4040, B, K, R	5040B, K, R, Y	8010B	9000C
CHRYSLER / DODGE / PLYMOUTH (INCLUDING TRUCKS)								
2001-93	All 3.9L 6 cyl. Magnum engines	•	•	•	•	•	•	•
2001-92	All 8 cyl. 5.2L/5.9L Magnum engines	•	•	•	•	•	•	•
1992-86	All 3.9L 6 cyl. engines	•	3010, B	•	4021	5040B, K, R, Y	8008B	9000C
1992-72	All 8 cyl. 318-360 eng. w/ elec. ignition	•	3010, B	•	4040, B, K, R	5040B, K, R, Y	8008B	9000C
1989-80	All 4 cyl. except 1.7L/2.2L/2.5L engs.	•	•	•	4015	•	•	•

Part # suffix indicates wire set color; B-blue, K-black, R-red, Y-yellow.

Notes: Some 6 cyl. applications require and are shown covered by an 8 cyl. wire set. ACCEL does NOT recommend metallic core wire sets for application with electronic ignition systems because of their incompatibility with EMI / RFI (radio noise) emissions.

* Wire sets 8032 and 8033 feature ACCEL's Vari-Angle spark plug boot. Wire set 8037 features a short straight spark plug boot.



UNIVERSAL FIT WIRE SETS

MAKE/ YEAR	ENGINE	SUPERSTOCK 7mm		SUPERSTOCK 8mm		SPIRAL	ARMOR	CERAMIC
		COPPER	SUPP.	COPPER	SUPP.		SHIELD 8.8mm SUPP.	
CHRYSLER / DODGE / PLYMOUTH (INCLUDING TRUCKS) (cont.)								
1987-72	All 6 cyl. 198-225 eng. w/ elec. ignition	•	3010,B	•	4021	5040B,K,R,Y	8008B	9000C
1981-72	All 8 cyl. 400-440 eng. w/ elec. ignition	•	3011, B	•	4041,B,K,R	5041B,K,R,Y	8009B	9001C
1979-76	All 4 cyl. engines w/ electronic ignition	•	•	•	4015	•	•	•
1975-72	All 4 cyl. engines w/ points ignition	•	•	4014	4015	•	•	•
1973-61	All 6 cyl. engines w/ points ignition	3008, B	3010, B	4038,B	4021	5040B,K,R,Y	•	9000C
1972-64	All 8 cyl. 273-360 eng. w/ pst.. ignition	3008, B	3010,B	4038, B	4040, B,K,R	5040B,K,R,Y	8008B	9000C
1972-58	All 8 cyl. 361-440 eng. w/ pst.. ignition	3009, B	3011,B	4039, B	4041, B,K,R	5041B,K,R,Y	8009B	9001C
1971-51	All 8 cyl. Hemi eng. w/ insulator tubes	•	•	•	•	•	•	•
	All 8 cyl. Hemi eng. wo/ insulator tubes	3008, B	3010, B	•	•	•	•	•
FORD / MERCURY / LINCOLN (INCLUDING TRUCKS)								
1998-77	All 6 cyl. 200, 250, 300engines	•	•	•	4021	5040B,K,R,Y	•	9000C
	All 8 cyl. 4.2L/5.0L/5.8L Windsor engs.	•	•	•	4040,B,K,R	5040B,K,R,Y	8010B	9000C
	Not 4.6L SOHC or DOHC engines	•	•	•	4040,B,K,R	5040B,K,R,Y	8010B	9000C
	All 8 cyl. 7.5L Big Block engines	•	•	•	4040,B,K,R	5040B,K,R,Y	8010B	9000C
1995-77	All V6 engines except Taurus SHO and engines w/ DIS coil packs	•	•	•	4021	5040B,K,R,Y	•	9000C
1991-77	All 2.3L 4 cyl. engs. exc. Twin-Plug	•	•	•	4015	•	•	9000C
1982-77	All 8 cyl. 351C/M 400 Cleveland engs.	•	•	•	4040,B,K,R	5040B,K,R,Y	8010B	9000C
1976-74	All 4 cyl. engines w/ electronic ignition w/ female tower distributor cap	•	•	•	4015	•	•	9000C
	All 6 cyl. engines w/ electronic ignition w/ female tower distributor cap	•	3010,B	•	4021	5040B,K,R,Y	•	9000C
	All 8 cyl. engines w/ electronic ignition w/ female tower distributor cap	•	3010, B	•	4040,B,K,R	5040B,K,R,Y	8008B	9000C
1974-71	All 4 cyl. engines w/ points ignition	•	•	4014	4015	•	•	9000C
1974-54	All 8 cyl. engines w/ points ignition	3008, B	3010, B	4038,B	4040, B,K,R	5040B,K,R,Y	8008B	9000C
1974-52	All 6 cyl. engines w/ points ignition	3008, B	3010,B	4038,B	4021	5040B,K,R,Y	•	9000C
1953-32	All 8 cyl. Flathead engines	3009, B	3001, B	•	•	•	•	9000C
OLDSMOBILE								
2001-82	All 6 cyl. 3.0L/3.8L w/ front wheel drive	•	•	•	4040,B,K,R	5040B,K,R,Y	•	9000C
1999-95	All 8 cyl. 4.0L Aurora	•	•	•	•	•	•	9000C
1992-90	All 8 cyl. Chevrolet engs. (8) 90 boots	•	•	•	•	•	•	9000C
1992-76	All 4 cyl. engs. w/ HEI exc. Quad 4	•	•	•	4015	•	•	9000C
1990-74	All 8 cyl. Oldsmobile engines w/ HEI	•	•	•	4040,B,K,R	5040B,K,R,Y	8010B	9000C
1987-77	All 6 cyl. 3.8L/4.1L w/ rear wheel drive	•	•	•	4021	5040B,K,R,Y	•	9000C
1986-80	All 6 cyl. 2.8Lengines	•	•	•	4021	5040B,K,R,Y	•	9000C
1981-75	All 8 cyl. Pontiac engines w/ HEI	•	•	•	4040,B,K,R	5040B,K,R,Y	8010B	9000C
1980-77	All 8 cyl. Chevrolet engs. (8) 90 boots	•	•	•	4041,B,K,R	5041B,K,R,Y	8011B	9001C
1976-75	All 6 cyl. engines w/HEI	•	•	•	4021	5040B,K,R,Y	•	9000C
1974-64	All 6 cyl. engines w/ points ignition	3008, B	3010,B	4038,B	4021	5040B,K,R,Y	•	9000C
1974-49	All 8 cyl. w/ points ignition	3008, B	3010, B	4038,B	4040, B,K,R	5040B,K,R,Y	8008B	9000C
PONTIAC								
2001-87	All 6 cyl. 3.8L w/ front wheel drive	•	•	•	4040,B,K,R	5040B,K,R,Y	•	9000C
1992-87	All 8 cyl. Chevrolet engs. (8) 90 boots	•	•	•	•	•	•	•
1992-82	All 6 cyl. 2.8L/3.1L w/ rear wheel drive	•	•	•	4021	5040B,K,R,Y	•	9000C
1991-75	All 4 cyl. engs. w/ HEI exc. Quad 4	•	•	•	4015	•	•	•
1990-76	All 8 cyl. Oldsmobile engines	•	•	•	4040, B,K,R	5040B,K,R,Y	8010B	9000C
1987-77	All 6 cyl. 3.8L/4.1L w/ rear wheel drive	•	•	•	4021	5040B,K,R,Y	•	9000C
1986-80	All 6 cyl. 2.8L w/ front wheel drive	•	•	•	4021	5040B,K,R,Y	•	9000C
1986-77	All 8 cyl. Chevrolet engs. (8) 90 boots	•	•	•	4041, B,K,R	5041B,K,R,Y	8011B	9001C
1981-78	All 8 cyl. Buick engines	•	•	•	4040, B,K,R	5040B,K,R,Y	8010B	9000C
1981-74	All 8 cyl. Pontiac engines w/ HEI, except turbo	•	•	•	4040,B,K,R	5040B,K,R,Y	8010B	9000C
1976-75	All 6 cyl. engines w/HEI	•	•	•	4021	5040B,K,R,Y	•	9000C
1974-64	All 6 cyl. engines w/ points ignition	3008, B	3010,B	4038,B	4021	5040B,K,R,Y	•	9000C

Part # suffix indicates wire set color; B-blue, K-black, R-red, Y-yellow.

Notes: Some 6 cyl. applications require and are shown covered by an 8 cyl. wire set. ACCEL does NOT recommend metallic core wire sets for application with electronic ignition systems because of their incompatibility with EMI / RFI (radio noise) emissions.

* Wire sets 8032 and 8033 feature ACCEL's Vari-Angle spark plug boot. Wire set 8037 features a short straight spark plug boot.

UNIVERSAL FIT WIRE SETS



MAKE/ YEAR	ENGINE	ACCEL 8.8 STAINLESS STEEL	SPIRAL CORE	GRAPHITE SUPP.	300+ RACE WIRE	EXTREME 9000 8MM FERROSPIRAL	PRO 25 WIRE	300+ 5MM
AMC / JEEP								
1998-93	All 8 cyl. 5.2L Magnum engines	•	•	•	•	9000	257040	7540,B,K,R,Y
1991-75	All 8 cyl. w/ electronic ignition	•	8032	8022	7032 / 7040	9000	257040	7540,B,K,R,Y
1990-80	All 4 cyl. engines w/ HEI	•	8038	8028	7008	•	257040	7540,B,K,R,Y
1990-75	All 6 cyl. w/ electronic ignition	•	8036	8026	7032 / 7040	9000	257040	7540,B,K,R,Y
1974-57	All 6 cyl. w/ points ignition	8027	8036	8026	7032 / 7040	9000	257040	7540,B,K,R,Y
	All 8 cyl. w/ points ignition	8025	8032	8022	7032 / 7040	9000	257040	7540,B,K,R,Y
1972-50	All 4 cyl. w/ points ignition	•	8038	8028	7008	•	257040	7540,B,K,R,Y
BUICK								
1998-82	All 6 cyl. 3.0L/3.8L w/ front wheel drive	•	8033	8023	•	9000	257040	7540,B,K,R,Y
1993-91	All 8 cyl. Chevrolet engs. (8) 90 boots	•	8031	8021	•	•	257040	•
1992-80	All 4 cyl. engs. w/ HEI exc. Quad 4	•	8038	8028	7008	•	257040	•
1990-75	All 8 cyl. Oldsmobile engines w/ HEI	•	8033	8023	7033 / 7040	9000	257040	7540,B,K,R,Y
1987-78	All 6 cyl. 3.8L 231 Turbo engines	•	8036	•	7033 / 7040	9003	257040	•
1987-75	All 6 cyl. 3.8L/4.1L w/ rear wheel drive	•	8036	8026	7033 / 7040	9000	257040	•
1986-80	All 6 cyl. 2.8Lengines	•	8036	8026	7033 / 7040	9000	257040	•
1981-75	All 8 cyl. Pontiac engines w/ HEI	•	8033	8023	7033 / 7040	9000	257040	7540,B,K,R,Y
1981-74	All 8 cyl. Buick engines w/ HEI	•	8033	8023	7033 / 7040	9000	257040	7540,B,K,R,Y
1980-75	All 8 cyl. Chevrolet engines w/ HEI	•	8031	8021	7031 / 7041	9001	257041	7541,B,K,R,Y
1979-71	All 4 cyl. engines w/ points ignition	•	8038	8028	7008	•	257040	•
1976-75	All 6 cyl. engines w/HEI	•	8036	8026	7033 / 7040	9000	257040	•
1974-63	All 6 cyl. engines w/ points ignition	8027	8036	8026	7032 / 7040	9000	257040	•
1974-59	All 8 cyl. w/ points ignition	8025	8033	8022	7032 / 7040	9000	257040	7540,B,K,R,Y
CADILLAC								
1999-93	All 8 cyl. 4.6L NorthStar	•	•	•	7155	•	257040	•
1995-75	All 8 cyl. Cadillac exc. NorthStar	•	8033	8023	7033 / 7040	9000	257040	7540,B,K,R,Y
1993-90	All 8 cyl. Chevrolet engs. (8) 90 boots	•	8031	8021	•	•	257040	•
1990-76	All 8 cyl. Oldsmobile engines	•	8033	8023	7033 / 7040	9000	257040	7540,B,K,R,Y
1986-80	All 6 cyl. 2.8L & 4.1Lengines	•	8036	8026	7033 / 7040	9000	257040	7540,B,K,R,Y
1974-49	All 8 cyl. engines w/ points ignition	8025	8033	8022	7032 / 7040	9000	257040	7540,B,K,R,Y
CHEVROLET (INCLUDING TRUCKS & GMC)								
1995-87	All 7.4L [N] code Big Block engs.	•	8033	8023	•	•	•	•
1994-87	All 6 cyl. 4.3L engines (6) 90 boots	•	8031	8021	•	•	•	•
1993-87	All Small Block engs. exc. Corvette	•	8031	8021	•	•	•	•
1993-82	All 6 cyl. 2.8L/3.1L w/ rear wheel drive	•	8036	8026	7033 / 7040	9000	257040	7540,B,K,R,Y
1993-75	All 4 cyl. engs. w/ HEI exc. Quad 4	•	8038	8028	7008	•	•	•
1991-87	Corvette exc. LT1 and ZR-1 engines	•	8031	8021	•	9001	257041	7541,B,K,R,Y
1990-86	All 8 cyl. Oldsmobile engines	•	8033	8023	7033 / 7040	9000	257040	7540,B,K,R,Y
1989-75	All 6 cyl. 250, 292 engines w/HEI	•	8036	8026	7033 / 7040	9000	257040	7540,B,K,R,Y
1989-74	All Big Block engines w/ HEI	•	8033	8023	7033 / 7040	9003	257040	7540,B,K,R,Y
1987-78	All 6 cyl. 3.2L/3.8L (196, 231)Buick	•	8036	8026	7033 / 7040	9000	257040	7540,B,K,R,Y
1986-80	All 6 cyl. 2.8L w/ front wheel drive	•	8036	8026	7033 / 7040	9000	257040	7540,B,K,R,Y
1986-78	All 6 cyl. 3.3L/3.8L/4.3L (200, 229, 262) Chevrolet eng. (6) 90 boots	•	8031	8021	7031 / 7041	9001	257041	7541,B,K,R,Y
1986-74	All Small Blocks w/ HEI, (8) 90 boots	•	8031	8021	7031 / 7041	9001	257041	7541,B,K,R,Y
1983-78	All 6 cyl. 3.8L 231 Turbo engines	•	•	•	•	9003	•	•
1979-62	All 4 cyl. engines w/ points ignition	•	8038	8028	7008	•	•	•
1975-65	All Big Block engs. w/ points ignition	8025	8033	8022	7032 / 7040	9003	257040	7540,B,K,R,Y
1975-55	All Small Blocks w/ points ignition	8024	8030	8020	7030 / 7007	9004	257041	7541,B,K,R,Y
1975-50	All 6 cyl. engines w/ points ignition except Corvair engines	8027	8036	8026	7032	9000	257040	•
1965-58	All 348, 409 engs. w/ points ignition	8025	8033	8022	7032	9000	257040	7540,B,K,R,Y
CHRYSLER / DODGE / PLYMOUTH (INCLUDING TRUCKS)								
2001-93	All 3.9L 6 cyl. Magnum engines	•	•	•	•	9000	•	•
2001-92	All 8 cyl. 5.2L/5.9L Magnum engines	•	•	•	•	9000	•	•
1992-86	All 3.9L 6 cyl. engines	•	8036	8026	7032 / 7040	9000	257040	7540,B,K,R,Y
1992-72	All 8 cyl. 318-360 eng. w/ elec. ignition	•	8033	8022	7032 / 7040	9000	257040	7540,B,K,R,Y
1989-80	All 4 cyl. except 1.7L/2.2L/2.5Lengs.	•	8038	8028	7008	•	•	•

Part # suffix indicates wire set color; B-blue, K-black, R-red, Y-yellow.

Notes: Some 6 cyl. applications require and are shown covered by an 8 cyl.wire set. ACCEL does NOT recommend metallic core wire sets for application with electronic ignition systems because of their incompatibility with EMI / RFI (radio noise) emissions.



UNIVERSAL FIT WIRE SETS

MAKE/ YEAR	ENGINE	ACCEL 8.8 STAINLESS STEEL	SPIRAL CORE	GRAPHITE SUPP.	300+ RACE WIRE	EXTREME 9000 8MM FERROSPIRAL	PRO 25 WIRE	300+ 5MM
CHRYSLER / DODGE / PLYMOUTH (INCLUDING TRUCKS) (cont.)								
1987-72	All 6 cyl. 198-225 eng. w/ elec. ignition	•	8036	8026	7032 / 7040	9000	•	•
1981-72	All 8 cyl. 400-440 eng. w/ elec. ignition (exc. 440-3)	•	8030	8020	7007	9004	257040	7540,B,K,R,Y
1980-73	All 8 cyl. 440-3 engines	•	8030	8020	7030 / 7041	9001	257041	7541,B,K,R,Y
1979-76	All 4 cyl. engines w/ electronic ignition	•	8038	8028	7008	•	•	•
1975-72	All 4 cyl. engines w/ points ignition	•	8038	8028	7008	•	•	•
1973-61	All 6 cyl. engines w/ points ignition	8027	8036	8026	7032 / 7040	9000	257040	7540,B,K,R,Y
1972-64	All 8 cyl. 273-360 eng. w/ pst. ignition	8025	8033	8022	7032 / 7040	9000	257040	7540,B,K,R,Y
1972-58	All 8 cyl. 361-440 eng. w/ pst. ignition	8024	8030	8020	7007	9004	257041	7541,B,K,R,Y
1971-51	All 8 cyl. Hemi eng. w/ insulator tubes	8029	•	•	7039	•	•	•
	All 8 cyl. Hemi eng. w/ insulator tubes	•	•	•	•	•	•	•
FORD / MERCURY / LINCOLN (INCLUDING TRUCKS)								
1998-77	All 6 cyl. 200, 250, 300 engines	•	8036	8026	7033 / 7040	9003	257040	7540,B,K,R,Y
	All 8 cyl. 4.2L/5.0L/5.8L Windsor engs. Not 4.6L SOHC or DOHC engines	•	8033	8023	7005	9002	257040	7540,B,K,R,Y
	All 8 cyl. 7.5L Big Block engines	•	8033	8023	7005	9002	257040	7540,B,K,R,Y
1995-77	All V6 engines except Taurus SHO and engines w/ DIS coil packs	•	8036	8026	7005	9002	257040	7540,B,K,R,Y
1991-77	All 2.3L 4 cyl. engs. exc. Twin-Plug	•	8038	8028	7008	•	257040	•
1982-77	All 8 cyl. 351 C/M 400 Cleveland engs.	•	8033	8023	7033 / 7040	9003	257040	7540,B,K,R,Y
1976-74	All 4 cyl. engines w/ electronic ignition w/ female tower distributor cap	•	8038	8028	7008	•	257040	•
	All 6 cyl. engines w/ electronic ignition w/ female tower distributor cap	•	8036	8026	7032 / 7040	9000	257040	7540,B,K,R,Y
	All 8 cyl. engines w/ electronic ignition w/ female tower distributor cap	•	8033	8022	7032 / 7040	9000	257040	7540,B,K,R,Y
1974-71	All 4 cyl. engines w/ points ignition	•	8038	8028	7008	•	257040	•
1974-54	All 8 cyl. engines w/ points ignition	8025	8033	8022	7032 / 7040	9000	257040	7540,B,K,R,Y
1974-52	All 6 cyl. engines w/ points ignition	8027	8036	8026	7032 / 7040	9000	257040	7540,B,K,R,Y
1953-32	All 8 cyl. Flathead engines	•	•	•	7007	•	257040	•
OLDSMOBILE								
2001-82	All 6 cyl. 3.0L/3.8L w/ front wheel drive	•	8033	8023	•	9000	257040	7540,B,K,R,Y
1999-95	All 8 cyl. 4.0L Aurora	•	•	•	7155	•	257040	7540,B,K,R,Y
1992-90	All 8 cyl. Chevrolet engs. (8) 90 boots	•	8031	8021	•	•	257040	7540,B,K,R,Y
1992-76	All 4 cyl. engs. w/ HEI exc. Quad 4	•	8038	•	7008	•	257040	7540,B,K,R,Y
1990-74	All 8 cyl. Oldsmobile engines w/ HEI	•	8033	8023	7033 / 7040	9000	257040	7540,B,K,R,Y
1987-77	All 6 cyl. 3.8L/4.1L w/ rear wheel drive	•	8036	8026	7033 / 7040	9000	257040	7540,B,K,R,Y
1986-80	All 6 cyl. 2.8L engines	•	8036	8026	7033 / 7040	9000	257040	7540,B,K,R,Y
1981-75	All 8 cyl. Pontiac engines w/ HEI	•	8033	8023	7033 / 7040	9000	257040	7540,B,K,R,Y
1980-77	All 8 cyl. Chevrolet engs. (8) 90 boots	•	8031	8021	7031 / 7041	9001	257041	7541,B,K,R,Y
1976-75	All 6 cyl. engines w/ HEI	•	8036	8026	7033 / 7040	9000	257040	7540,B,K,R,Y
1974-64	All 6 cyl. engines w/ points ignition	8027	8036	8026	7032 / 7040	9000	257040	7540,B,K,R,Y
1974-49	All 8 cyl. w/ points ignition	8025	8033	8022	7032 / 7040	9000	257040	7540,B,K,R,Y
PONTIAC								
2001-87	All 6 cyl. 3.8L w/ front wheel drive	•	8033	8023	•	9000	257040	7540,B,K,R,Y
1992-87	All 8 cyl. Chevrolet engs. (8) 90 boots	•	8031	8021	•	•	•	•
1992-82	All 6 cyl. 2.8L/3.1L w/ rear wheel drive	•	8036	8026	7033 / 7040	9000	257040	7540,B,K,R,Y
1991-75	All 4 cyl. engs. w/ HEI exc. Quad 4	•	8038	8028	7008	•	•	•
1990-76	All 8 cyl. Oldsmobile engines	•	8033	8023	7033 / 7040	9000	257040	7540,B,K,R,Y
1987-77	All 6 cyl. 3.8L/4.1L w/ rear wheel drive	•	8036	8026	7033 / 7040	9000	257040	7540,B,K,R,Y
1986-80	All 6 cyl. 2.8L w/ front wheel drive	•	8036	8026	7033 / 7040	9000	257040	7540,B,K,R,Y
1986-77	All 8 cyl. Chevrolet engs. (8) 90 boots	•	8031	8021	7031 / 7041	9001	257041	7541,B,K,R,Y
1981-80	All 8 cyl. 4.9L 301 Turbo engines	•	8033	•	7033 / 7040	9003	257040	7540,B,K,R,Y
1981-78	All 8 cyl. Buick engines	•	8033	8023	7033 / 7040	9000	•	•
1981-74	All 8 cyl. Pontiac engines w/ HEI	•	8033	8023	7033 / 7040	9000	257040	7540,B,K,R,Y
1976-75	All 6 cyl. engines w/ HEI	•	8036	8026	7033 / 7040	9000	257040	7540,B,K,R,Y
1974-64	All 6 cyl. engines w/ points ignition	8027	8036	8026	7032 / 7040	9000	257040	7540,B,K,R,Y

Part # suffix indicates wire set color; B-blue, K-black, R-red, Y-yellow.

Notes: Some 6 cyl. applications require and are shown covered by an 8 cyl. wire set. ACCEL does NOT recommend metallic core wire sets for application with electronic ignition systems because of their incompatibility with EMI / RFI (radio noise) emissions.

QUICK REFERENCE FOR UNIVERSAL WIRE SETS



MAKE/ YEAR	ENGINE	SUPERSTOCK 7mm		SUPERSTOCK 8mm		SPIRAL	ARMOR	CERAMIC
		COPPER	SUPP.	COPPER	SUPP.		SHIELD 8.8mm SUPP.	BOOTED
4 Cyl.	Straight boot w/ male tower dist cap	•	•	4014	4015	•	•	•
	Straight boot w/ points style dist cap	•	•	4014	4015	•	•	•
	Vari-Angle boot w/ male tower dist cap	•	•	•	•	•	•	•
6 Cyl.	Vari-Angle boot w/ points style dist cap	•	•	•	•	•	•	•
	115° Ford style boot w/ male tower dist cap	•	•	•	•	•	•	9002C
	115° Ford style boot w/ points style dist cap	•	•	•	•	•	•	9002C
	90° 13/16" Hex plug w/ points style dist cap	3009, B	3011, B	•	•	•	8009B	•
	90° 13/16" Hex plug w/ tower dist cap	•	•	•	•	•	•	•
	90° 5/8" Hex plug w/ male tower dist cap	•	•	4039, B	4041, B, K, R	5041B, K, R, Y	8011B	9001C
	90° 5/8" Hex plug w/ points style dist cap	•	•	4039, B	4041, B, K, R	5041B, K, R, Y	•	9001C
	Straight boot w/ male tower dist cap	•	•	4038, B	4021	5040B, K, R, Y	•	9000C
	Straight boot w/ points style dist cap	3008, B	3010, B	4038, B	4021	5040B, K, R, Y	•	9000C
	Vari-Angle boot w/ male tower dist cap	•	•	•	•	•	•	•
	Vari-Angle boot w/ points style dist cap	•	•	•	•	•	•	•
8 Cyl.	115° Ford style boot w/ male tower dist cap	•	•	•	•	•	•	•
	115° Ford style boot w/ points style dist cap	•	•	•	•	•	•	•
	90° 13/16" Hex plug w/ male tower dist cap	•	•	•	•	•	•	•
	90° 13/16" Hex plug w/ points style dist cap	3009, B	3011, B	•	•	•	8009B	•
	90° 5/8" Hex plug w/ male tower dist cap	•	•	4039, B	4041, B, K, R	5041B, K, R, Y	8011B	9001C
	90° 5/8" Hex plug w/ points style dist cap	•	•	4039, B	4041, B, K, R	5041B, K, R, Y	•	9001C
	Hemi boot w/ insulator tube	•	•	•	•	•	•	•
	Hemi boot wo/ insulator tube	3008, B	3010, B	•	•	•	•	•
	Straight boot w/ male tower dist cap	•	•	4038, B	4040, B, K, R	5040B, K, R, Y	•	9000C
	Straight boot w/ points style dist cap	3008, B	3010, B	4038, B	4040, B, K, R	5040B, K, R, Y	•	9000C
	Vari-Angle boot w/ male tower dist cap	•	•	•	•	•	8010B	•
	Vari-Angle boot w/ points style dist cap	•	•	•	•	•	8008B	•

MAKE/ YEAR	ENGINE	SUPERSTOCK 7mm		SUPERSTOCK 8mm		SPIRAL	ARMOR	CERAMIC
		COPPER	SUPP.	COPPER	SUPP.		SHIELD 8.8mm SUPP.	BOOTED
4 Cyl.	Straight boot w/ male tower dist cap	•	•	•	•	•	•	•
	Straight boot w/ points style dist cap	•	•	•	•	•	•	•
	Vari-Angle boot w/ male tower dist cap	•	8038	8028	•	•	•	•
6 Cyl.	Vari-Angle boot w/ points style dist cap	•	8038	8028	•	•	•	•
	115° Ford style boot w/ male tower dist cap	•	•	•	7005	•	257005	•
	115° Ford style boot w/ points style dist cap	•	•	•	7005	•	257005	•
	90° 13/16" Hex plug w/ points style dist cap	8024	8030	8020	7007	9004	•	•
	90° 13/16" Hex plug w/ male tower dist cap	8024	8031	8021	7007	9004	•	•
	90° 5/8" Hex plug w/ male tower dist cap	8024	8031	8021	7031 / 7041	9001	257041	7041B, K, R, Y
	90° 5/8" Hex plug w/ points style dist cap	8024	8030	8020	7030 / 7041	9001	257041	7041B, K, R, Y
	Straight boot w/ male tower dist cap	•	•	•	•	9000	•	7040B, K, R, Y
	Straight boot w/ points style dist cap	•	•	•	•	9000	•	7040B, K, R, Y
	Vari-Angle boot w/ male tower dist cap	8027	8036	8026	7033 / 7040	9003	257041	•
	Vari-Angle boot w/ points style dist cap	8027	8036	8026	7032 / 7040	9003	257041	•
8 Cyl.	115° Ford style boot w/ male tower dist cap	•	•	•	7005	•	•	•
	115° Ford style boot w/ points style dist cap	•	•	•	7005	•	•	•
	90° 13/16" Hex plug w/ male tower dist cap	8024	8031	8021	7007	9004	•	•
	90° 13/16" Hex plug w/ points style dist cap	8024	8030	8020	7007	9004	•	•
	90° 5/8" Hex plug w/ male tower dist cap	8024	8031	8021	7031 / 7041	9001	257041	7041B, K, R, Y
	90° 5/8" Hex plug w/ points style dist cap	8024	8030	8020	7030 / 7041	9001	257041	7041B, K, R, Y
	Hemi boot w/ insulator tube	8029	•	•	7039	•	•	•
	Hemi boot wo/ insulator tube	•	•	•	•	•	257038	•
	Straight boot w/ male tower dist cap	•	•	•	•	9000	•	7040B, K, R, Y
	Straight boot w/ points style dist cap	•	•	•	•	9000	•	7040B, K, R, Y
	Vari-Angle boot w/ male tower dist cap	8025	8033	8023	7033 / 7040	9003	257040	•
Vari-Angle boot w/ points style dist cap	8025	8032	8022	7032 / 7040	9003	257040	•	

Part # suffix indicates wire set color; B-blue, K-black, R-red, Y-yellow.

Notes: Some 6 cyl. applications require and are shown covered by an 8 cyl. wire set. ACCEL does NOT recommend metallic core wire sets for application with electronic ignition systems because of their incompatibility with EMI / RFI (radio noise) emissions.